



TYPE 1 PHOTOVIEW - EXISTING VIEW

To be viewed at a comfortable arm's length

<b>Camera make &amp; model</b>	- Canon EOS 6D MkII	<b>Viewpoint height (AOD)</b>	- 5.81m	<b>Visualisation Type</b>	- Type 1 (LI TGN 06/19)
<b>Lens make &amp; focal length</b>	- Canon EF 50mm, f/1.4 USM	<b>Distance from site</b>	- 90m	<b>Horizontal Field of View</b>	- 90°
<b>Date &amp; time of photograph</b>	- 31/05/2023 @ 10:48	<b>Projection</b>	- Cylindrical	<b>Height of camera AGL</b>	- 1.5m
<b>OS grid reference</b>	- 463904, 426160	<b>Enlargement factor</b>	- 96%	<b>Page size / Image size (mm)</b>	- 841 x 297 / 820 x 235

**HELIOS RENEWABLE ENERGY PROJECT**

**VIEWPOINT 2A - EXISTING**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



TYPE 3 PHOTOMONTAGE - YEAR 1

**NOTE-**

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

<b>Camera make &amp; model</b>	- Canon EOS 6D MkII	<b>Viewpoint height (AOD)</b>	- 5.81m	<b>Visualisation Type</b>	- Type 1 (LI TGN 06/19)
<b>Lens make &amp; focal length</b>	- Canon EF 50mm, f/1.4 USM	<b>Distance from site</b>	- 90m	<b>Horizontal Field of View</b>	- 90°
<b>Date &amp; time of photograph</b>	- 31/05/2023 @ 10:48	<b>Projection</b>	- Cylindrical	<b>Height of camera AGL</b>	- 1.5m
<b>OS grid reference</b>	- 463904, 426160	<b>Enlargement factor</b>	- 96%	<b>Page size / Image size (mm)</b>	- 841 x 297 / 820 x 235

**HELIOS RENEWABLE ENERGY PROJECT**

**VIEWPOINT 2A - YEAR 1**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)





TYPE 3 PHOTOMONTAGE - YEAR 15

**NOTE-**

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length


<b>Camera make &amp; model</b>	- Canon EOS 6D MkII	<b>Viewpoint height (AOD)</b>	- 5.81m	<b>Visualisation Type</b>	- Type 1 (LI TGN 06/19)
<b>Lens make &amp; focal length</b>	- Canon EF 50mm, f/1.4 USM	<b>Distance from site</b>	- 90m	<b>Horizontal Field of View</b>	- 90°
<b>Date &amp; time of photograph</b>	- 31/05/2023 @ 10:48	<b>Projection</b>	- Cylindrical	<b>Height of camera AGL</b>	- 1.5m
<b>OS grid reference</b>	- 463904, 426160	<b>Enlargement factor</b>	- 96%	<b>Page size / Image size (mm)</b>	- 841 x 297 / 820 x 235

**HELIOS RENEWABLE ENERGY PROJECT**


**VIEWPOINT 2A - YEAR 15**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)





VIEWPOINT LOCATION



TRIPOD LOCATION

TYPE 1 PHOTOVIEW - EXISTING VIEW


To be viewed at a comfortable arm's length

<b>Camera make &amp; model</b>	- Canon EOS 6D MkII	<b>Viewpoint height (AOD)</b>	- 5.81m	<b>Visualisation Type</b>	- Type 1 (LI TGN 06/19)
<b>Lens make &amp; focal length</b>	- Canon EF 50mm, f/1.4 USM	<b>Distance from site</b>	- 90m	<b>Horizontal Field of View</b>	- 90°
<b>Date &amp; time of photograph</b>	- 31/05/2023 @ 10:48	<b>Projection</b>	- Cylindrical	<b>Height of camera AGL</b>	- 1.5m
<b>OS grid reference</b>	- 463904, 426160	<b>Enlargement factor</b>	- 96%	<b>Page size / Image size (mm)</b>	- 841 x 297 / 820 x 235


**HELIOS RENEWABLE ENERGY PROJECT**

**VIEWPOINT 2B - EXISTING**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



VIEWPOINT LOCATION



TRIPOD LOCATION

TYPE 3 PHOTOMONTAGE - YEAR 1

**NOTE-**

The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

**Camera make & model** - Canon EOS 6D MkII  
**Lens make & focal length** - Canon EF 50mm, f/1.4 USM  
**Date & time of photograph** - 31/05/2023 @ 10:48  
**OS grid reference** - 463904, 426160


**Viewpoint height (AOD)** - 5.81m  
**Distance from site** - 90m  
**Projection** - Cylindrical  
**Enlargement factor** - 96%

**Visualisation Type** - Type 1 (LI TGN 06/19)  
**Horizontal Field of View** - 90°  
**Height of camera AGL** - 1.5m  
**Page size / Image size (mm)** - 841 x 297 / 820 x 235


**HELIOS RENEWABLE ENERGY PROJECT**

**VIEWPOINT 2B - YEAR 1**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)



VIEWPOINT LOCATION



TRIPOD LOCATION

TYPE 3 PHOTOMONTAGE - YEAR 15

**NOTE-**  
 The panels and fencing shown in the above visualisation is based on an indicative layout. The security fencing shown in the visualisation represents the outer extents of the parameter area. This shows the maximum possible extent of the development, and as such is a worse case scenario. The panels within the visualisation are shown at their maximum height of 3m.

To be viewed at a comfortable arm's length

<b>Camera make &amp; model</b>	- Canon EOS 6D MkII	<b>Viewpoint height (AOD)</b>	- 5.81m	<b>Visualisation Type</b>	- Type 1 (LI TGN 06/19)
<b>Lens make &amp; focal length</b>	- Canon EF 50mm, f/1.4 USM	<b>Distance from site</b>	- 90m	<b>Horizontal Field of View</b>	- 90°
<b>Date &amp; time of photograph</b>	- 31/05/2023 @ 10:48	<b>Projection</b>	- Cylindrical	<b>Height of camera AGL</b>	- 1.5m
<b>OS grid reference</b>	- 463904, 426160	<b>Enlargement factor</b>	- 96%	<b>Page size / Image size (mm)</b>	- 841 x 297 / 820 x 235

**HELIOS RENEWABLE ENERGY PROJECT**

**VIEWPOINT 2B - YEAR 15**

VIEW FROM CLAYPIT LANE / PUBLIC RIGHT OF WAY (35.17/U8106/50)

